



US005848395A

**United States Patent** [19]  
**Edgar et al.**

[11] **Patent Number:** **5,848,395**  
 [45] **Date of Patent:** **Dec. 8, 1998**

[54] **APPOINTMENT BOOKING AND SCHEDULING SYSTEM**

[76] **Inventors:** **James William Hardie Edgar**, 86 Beechwood Grove, Uphall Station, West Lothian EH54 5QJ, Scotland; **Peter John Gathercole**, 47 Hillcrest Rise, Cookridge, Leeds LS16 7DJ, England; **Michael Alan Johnson**, 4 Highlands lane, Chalfont St Peter, Gerrards Cross SL9 0DL, England; **Alistair Edward Roycroft**, Flat 1, 10 Rathen Road, Withington, Manchester M20 4GH, England; **Alan Smith**, 34 Lakelands Drive, Ladybridge, Bolton BL3 4NN, England; **Donald Brian Webster**, 48 Lakeside, Bracknell, Berks RG42 2LE, England

[21] **Appl. No.:** **673,728**

[22] **Filed:** **Jun. 26, 1996**

[30] **Foreign Application Priority Data**

Mar. 23, 1996 [GB] United Kingdom ..... 9606194

[51] **Int. Cl.<sup>6</sup>** ..... **G06F 17/60**

[52] **U.S. Cl.** ..... **705/9; 705/5**

[58] **Field of Search** ..... **705/5, 9, 1, 8; 364/468.06, 468.08, 468.05, 472.05, 478.11, 479.02**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

4,769,796	9/1988	Levine	368/29
4,780,800	10/1988	Levine	379/67
4,852,001	7/1989	Tsushima et al.	705/8
5,272,638	12/1993	Martin et al.	701/202
5,442,730	8/1995	Bigus	395/22
5,525,958	6/1996	Negishi et al.	340/309.15
5,541,845	7/1996	Klein	701/207
5,615,121	3/1997	Babayev et al.	705/9
5,666,493	9/1997	Wojcik et al.	705/26
5,737,728	4/1998	Sisley et al.	705/8

**FOREIGN PATENT DOCUMENTS**

0 669 586	8/1995	European Pat. Off.	.....	G06F 17/60
0 672 990	9/1995	European Pat. Off.	.....	G06F 17/60
WO 95/26535	10/1995	European Pat. Off.	..	
WO 95/26535	10/1995	WIPO	.	

**OTHER PUBLICATIONS**

Edgar, et al., "Computerized booking and scheduling system . . .", INT Computers Ltd, Dialog file 351, Accession No. 011538556, Aug. 4, 1997.

Collins, "Automated Assignment and Scheduling of Service Personnel", IEEE Expert, vol. 9, No. 2, Apr. 1994, pp. 33-39.

Azarmi, "Workforce scheduling with constraint logic programming", BT Technology Journal, vol. 13, No. 1, Jan., 1995, pp. 81-94.

Laithwaite, "Work allocation challenges and solutions in a large-scale work management environment", BT Technology Journal, vol. 13, No. 1, Jan., 1995, pp. 46-54.

*Primary Examiner*—Allen R. MacDonald


*Assistant Examiner*—Romain Jeanty

*Attorney, Agent, or Firm*—Lee, Mann, Smith, McWilliams, Sweeney & Ohlson

[57] **ABSTRACT**

An appointment booking and scheduling system is described, for booking appointments with operatives (e.g. service engineers) visiting customer sites within a defined geographic area. The system includes a table for storing a number of routes, each of which specifies a sequence of regions to be visited by a particular operative, and jobs to be performed by the operative in each of the regions. An appointment server is provided for offering appointments at specified times, using the table to check for availability of operatives in specified regions at specified times, and for inserting new jobs in the routes to reflect booked appointments. A scheduler periodically updates the routes e.g. by means of a simulated annealing process, to generate a new set of routes.

**4 Claims, 3 Drawing Sheets**









FIG. 2






FIG. 5

## APPOINTMENT BOOKING AND SCHEDULING SYSTEM

### BACKGROUND TO THE INVENTION

This invention relates to an appointment booking and scheduling system. The invention is particularly, although not exclusively, concerned with a system for booking appointments with service engineers visiting customer sites within a defined geographic area.

The object of the invention is to provide an improved appointment booking and scheduling system.

### SUMMARY OF THE INVENTION

According to the invention there is provided an appointment booking and scheduling system comprising:

- (a) a table for storing a plurality of routes, each of which specifies a sequence of regions to be visited by a particular operative, and jobs to be performed by the operative in each of the regions;
- (b) an appointment server for offering appointments at specified times, using the table to check for availability of operatives in specified regions at specified times, and for inserting new jobs in the routes to reflect booked appointments; and
- (c) a scheduler for periodically updating the routes in accordance with predetermined scheduling criteria, to generate a new set of routes.

### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of an appointment booking and scheduling system in accordance with the invention.

FIG. 2 is a schematic representation of a geographic area within which appointments are to be booked.

FIG. 3 is a schematic representation of a database holding a number of routes.

FIG. 4 is a flow chart showing the operation of an appointment server.

FIG. 5 is a flow chart showing an optimisation process performed by the an appointment booking scheduler.

### DESCRIPTION OF AN EMBODIMENT OF THE INVENTION

One appointment booking and scheduling system in accordance with the invention will now be described by way of example with reference to the accompanying drawings. The system to be described is intended to handle appointments for a number of operatives (e.g. service engineers), visiting customer sites within a defined geographic area.

#### Overview of the system

Referring to FIG. 1, the appointment booking and scheduling system comprises conventional computer hardware 10, having a processor, memory, display, input device, and disks (not shown). The computer hardware stores a database 11, and runs the following software: an appointment server 12, an appointment booking scheduler 13, a reactive scheduler 14, a Gantt manager interface 15, and a watchdog 16.

Referring to FIG. 2, the area in which appointments are to be booked is divided into a number of regions, designated A, B, C . . . Each of these regions includes a number of customer sites, the location of each of which may, for example, be indicated by its postal code.

Referring to FIG. 3, the database 10 includes a number of tables 30, one for each day in a predetermined window in which appointments may be offered. For example, this window may cover two weeks from the current date. Each

of the tables 10 contains a number of routes 31. Each route represents an itinerary for a particular operative on the day in question, and has a number of jobs associated with it. Each route comprises a sequence of records, with each record containing the following fields:

Region: the identity of a region to be visited by the operative.

Start Time: the time the operative is scheduled to start working in the region.

End Time: the time the operative is scheduled to finish working in the region.

Time Used: the number of minutes scheduled to be spent on jobs already booked within the region.

Time Left: the number of minutes free, available for new jobs in the region.

The sum of Time Used and Time Left will normally equal the difference between Start Time and End Time.

#### Appointment server

FIG. 4 shows the operation of the appointment server 12.

(Box 41) The appointment server uses the routes stored in the database to offer a number of possible appointments to customers. Specifically, if a customer within a particular region requests an appointment, the appointment server searches the routes to find one which visits the region and which contains sufficient free time within that region. Appointments are offered within predetermined time slots, e.g. two hour slots. If the customer accepts the offered appointment, a new job is associated with the route and the Time Used and Time Left fields are updated.

(Box 42) When an appointment is made, the appointment server checks whether a predetermined trigger number of appointments has been made since the last time the scheduler was run. If not, the appointment server returns to Box 41 to await the next appointment.

(Box 43) When the trigger number of appointments has been made, the appointment server calls the scheduler, and immediately returns to Box 41 to await the next appointment.

#### Appointment booking scheduler

When the appointment booking scheduler is called, it performs the following operations.

The scheduler first extracts the jobs to be scheduled. Appointment bookings and other tasks such as pre-allocated work and holiday activities are read in by the scheduler from the database. This includes any unavailability periods that may have been input through the Gantt or database maintenance screens.

The scheduler then takes the set of jobs to be scheduled, and allocates jobs to resources for specific times, accounting for travel times, to create a number of sequences of jobs. The scheduler then attempts to optimise each sequence, driven by weightings on a variety of parameters. The optimisation process is described in detail below with reference to FIG. 5.

The scheduler then uses the optimised sequences of jobs output from the optimisation process to create a new table 30 representing a new set of routes. First, it examines all the engineer shifts and subtracts time for booked jobs, to determine the total amount of free time. This time is allocated to the routes in such a way that each region receives the same proportion of time. As a result, each route has a sequence of available time slots associated with it.

The appointment booking scheduler 13 uses a simulated annealing process to attempt to optimise the scheduling of jobs within each sequence. This employs a simulated "temperature" which is initially set a high value, and gradually reduced until it reaches a predetermined final value. At each value of the simulated temperature, the process shown in FIG. 5 is performed a predetermined number of times N. The